

### SECTION 1: Identification

#### 1.1. Identification

Product form : Mixture  
 Trade name : Perm-X UL 30-30  
 Synonyms : 100208981; 100208982; 100208983; 100208984; 100510353; EPA Reg. No.: 89459-44

#### 1.2. Recommended use and restrictions on use

Recommended use : Insecticide.  
 Restrictions on use : Avoid contact with eyes, skin and clothing. Avoid inhalation of vapors or fumes. Do NOT take internally. Keep out of reach of children.

#### 1.3. Supplier

Central Garden & Pet Company  
 1501 E. Woodfield Road, Suite 200W  
 Schaumburg, IL 60173 - United States

www.centralmosquitocontrol.com

#### 1.4. Emergency telephone number

Emergency number : 1-800-248-7763  
 1-800-424-9300 - CHEMTREC  
 1-703-527-3887 - CHEMTREC - Outside North America - Collect Calls Accepted

### SECTION 2: Hazard(s) identification

#### 2.1. Classification of the substance or mixture

##### GHS US classification

Acute toxicity (oral) Category 4	Harmful if swallowed
Acute toxicity (inhalation) Category 4	Harmful if inhaled
Skin sensitization, Category 1	May cause an allergic skin reaction
Specific target organ toxicity (single exposure) Category 1	Causes damage to organs
Aspiration hazard Category 1	May be fatal if swallowed and enters airways

#### 2.2. GHS Label elements, including precautionary statements

##### GHS US labeling

Hazard pictograms (GHS US) :



GHS07



GHS08

Signal word (GHS US) : Danger

Hazard statements (GHS US) : Harmful if swallowed or if inhaled  
 May be fatal if swallowed and enters airways  
 May cause an allergic skin reaction  
 Causes damage to organs (nervous system)

Precautionary statements (GHS US) : Do not breathe dust/fume/gas/mist/vapours/spray.  
 Wash hands, forearms and face thoroughly after handling.  
 Do not eat, drink or smoke when using this product.  
 Use only outdoors or in a well-ventilated area.  
 Contaminated work clothing must not be allowed out of the workplace.  
 Wear protective gloves/protective clothing/eye protection/face protection.  
 If swallowed: Immediately call a poison center or doctor.  
 If on skin: Wash with plenty of water.  
 If inhaled: Remove person to fresh air and keep comfortable for breathing.  
 If exposed: Call a poison center/doctor.  
 Call a poison center or doctor if you feel unwell.  
 Rinse mouth.  
 Do NOT induce vomiting.  
 If skin irritation or rash occurs: Get medical advice/attention.

# Perm-X UL 30-30

## Safety Data Sheet

Wash contaminated clothing before reuse.  
Store locked up.  
Dispose of contents/container to in accordance with local/regional/national/international regulations.

### 2.3. Other hazards which do not result in classification

Other hazards not contributing to the classification : This product is extremely toxic to aquatic organisms, including fish and invertebrates. This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Under United States Regulations (29 CFR 1910.1200 - Hazard Communication Standard), this product is considered hazardous.

### 2.4. Unknown acute toxicity (GHS US)

Not applicable

## SECTION 3: Composition/Information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%
Permethrin	(CAS-No.) 52645-53-1	30
Piperonyl butoxide	(CAS-No.) 51-03-6	30
Petroleum distillates, hydrotreated (mild) heavy paraffinic and hydrotreated (mild) light paraffinic	(CAS-No.) 64742-54-7 and 64742-55-8	38.81
Non-hazardous and/or does not meet criteria for classification	(CAS-No.) N/A	Balance

## SECTION 4: First-aid measures

### 4.1. Description of first aid measures

First-aid measures general : Call a physician immediately.

First-aid measures after inhalation : IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor/physician if you feel unwell.

First-aid measures after skin contact : IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.

First-aid measures after eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice and attention.

First-aid measures after ingestion : IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. Call a physician immediately. Rinse mouth. Do NOT induce vomiting unless directed to do so by medical personnel.

### 4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after inhalation : Harmful if inhaled. Permethrin affects nervous system. Symptoms of overexposure to permethrin include diarrhea, salivation, tremors, convulsions, hyperactivity and hypersensitivity.

Symptoms/effects after skin contact : May cause an allergic reaction in individuals with a sensitivity to Piperonyl butoxide.

Symptoms/effects after ingestion : Harmful if swallowed. Permethrin affects the nervous system. Aspiration Hazard - may be fatal if swallowed and enters airways.

### 4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

## SECTION 5: Fire-fighting measures

### 5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

Unsuitable extinguishing media : Avoid heavy hose streams.

### 5.2. Specific hazards arising from the chemical

Reactivity : The product is non-reactive under normal conditions of use, storage and transport.

### 5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Do not allow fire fighting water to escape into waterways or sewers. Evacuate area. Move containers away from the fire area if this can be done without risk. Ventilate closed spaces before entering. Do not breathe gas/fumes/vapor/spray.

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

# Perm-X UL 30-30

## Safety Data Sheet

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### 6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Do not breathe dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes.

##### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: Exposure controls/personal protection.

Emergency procedures : Do NOT wash away into sewer. Avoid release to the environment. Evacuate unnecessary personnel. Stop leak if safe to do so. Ventilate area. Wear appropriate personal protective equipment, avoid direct contact.

#### 6.2. Environmental precautions

Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Absorb spills with an inert material, clay granules or other inert absorbent material and put in container for disposal. Do not flush to sewer or allow to enter waterways. Wear appropriate personal protective equipment, avoid direct contact.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Precautions for safe handling : Do not breathe dust/fume/gas/mist/vapours/spray. Use only outdoors or in a well-ventilated area. Avoid contact with skin and eyes. Wear personal protective equipment.

Hygiene measures : Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store locked up. Store in a well-ventilated place. Keep cool. Avoid excess heat. Keep container tightly closed. Keep only in original container. Avoid extreme temperatures. Do not store near heat or open flame.

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

##### Petroleum distillates, hydrotreated (mild) heavy paraffinic and hydrotreated (mild) light paraffinic (64742-54-7 and 64742-55-8)

ACGIH	ACGIH TWA (mg/m <sup>3</sup> )	5 mg/m <sup>3</sup>
ACGIH	ACGIH STEL (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup>

#### 8.2. Appropriate engineering controls

Appropriate engineering controls : Adequate ventilation systems as needed to control concentrations of airborne contaminants below applicable threshold limit values.

Environmental exposure controls : Avoid release to the environment.

#### 8.3. Individual protection measures/Personal protective equipment

##### Personal protective equipment:

See product label for specific PPE instructions.

##### Hand protection:

Wear chemical resistant gloves. Barrier laminate, nitrile rubber, neoprene rubber or Viton are recommended.

##### Eye protection:

Safety glasses

##### Skin and body protection:

Wear long-sleeved shirt and long pants, and shoes plus socks.

##### Respiratory protection:

# Perm-X UL 30-30

## Safety Data Sheet

In case of insufficient ventilation, use NIOSH approved respiratory protection. Mixers and loaders supporting aerial applications to forests must wear at least a NIOSH-approved respirator with: A dust/mist filter with MSHA/NIOSH approval number prefix TC-21C, or any R, P, or HE filter.



### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Clear amber liquid
Color	: Amber
Odor	: Slight solvent and licorice
Odor threshold	: No data available
pH	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: 127 °C (260 °F)
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Not applicable
Vapor pressure	: < 1 mmHg (torr) @ 3.9 °C (39 °F)
Relative vapor density at 20 °C	: No data available
Relative density	: 1.0012
Solubility	: Insoluble
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: 18.5 cP @ 40 °C (104 °F)
Explosion limits	: No data available
Explosive properties	: Not explosive
Oxidizing properties	: Not applicable

#### 9.2. Other information

No additional information available

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

#### 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use. Hazardous polymerization will not occur.

#### 10.4. Conditions to avoid

Avoid extreme temperatures. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

#### 10.5. Incompatible materials

No additional information available

#### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Decomposes upon heating to produce toxic vapors/gases which may include oxides of carbon and nitrogen, hydrogen chloride and/or aldehydes.

# Perm-X UL 30-30

## Safety Data Sheet

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

Permethrin (52645-53-1)	
LD50 oral rat	500 mg/kg
LD50 dermal rabbit	> 2000 mg/kg
LC50 inhalation rat (mg/l)	2.65 mg/l/4h
Piperonyl butoxide (51-03-6)	
LD50 oral rat	4300 mg/kg
LD50 dermal rat	> 2000 mg/kg
LC50 inhalation rat (mg/l)	> 5 mg/l/4h

GHS-US Properties	Classification
Acute toxicity (oral)	Harmful if swallowed.
Acute toxicity (dermal)	Not classified
Acute toxicity (inhalation)	Harmful if inhaled.
Skin corrosion/irritation	Not classified
Serious eye damage/irritation	Not classified
Respiratory or skin sensitization	May cause an allergic skin reaction.
Germ cell mutagenicity	Not classified
Carcinogenicity	Not classified
Reproductive toxicity	Not classified
Specific target organ toxicity (single exposure)	Causes damage to organs.
Specific target organ toxicity (repeated exposure)	Not classified
Aspiration hazard	May be fatal if swallowed and enters airways.

#### Potential health effects

##### Inhalation

Acute : Harmful if inhaled. Permethrin affects nervous system. Symptoms of overexposure to permethrin include diarrhea, salivation, tremors, convulsions, hyperactivity and hypersensitivity.

##### Skin

Acute : May cause an allergic skin reaction in individuals with a sensitivity to piperonyl butoxide.

##### Eye

Acute : Under normal conditions of use, no health effects are expected.

##### Ingestion

Acute : Aspiration hazard - small amounts of liquid aspirated into the lungs during ingestion or from vomiting may cause chemical pneumonitis or pulmonary edema. Harmful if ingested. Permethrin affects nervous system. Symptoms of overexposure to permethrin include diarrhea, salivation, tremors, convulsions, hyperactivity and hypersensitivity.

**Mutagenicity** : Permethrin was not mutagenic in a battery of in vitro and in vivo tests. Piperonyl butoxide was not mutagenic in a battery of tests.

**Carcinogenicity** : Permethrin is not classified as carcinogen by NTP, IARC and OSHA. Piperonyl butoxide is not classified as carcinogen by NTP, IARC and OSHA.

**Reproductive Effects** : Permethrin does not cause birth defects or adverse effects on reproduction. Piperonyl butoxide did not produce any birth defects or adverse effects on reproductive parameters in tests with rats and rabbits.

### SECTION 12: Ecological information

#### 12.1. Toxicity

Permethrin (52645-53-1)	
LC50 Acute fish 1	0.00079 mg/l (Exposure time: 96h - Blue gill)
LC50 Acute fish 2	0.0022 mg/l (Exposure time: 96h - Atlantic silverside)
LC50 Acute crustacea 1	0.000019 mg/l (Exposure time: 96h - Mysid shrimp)
LC50 Acute crustacea 2	0.0001 mg/l (Hexagenia bilineata)
EC50 Daphnia 1	0.00043 mg/l (48 h, Daphnia magna, Literature study)
NOEC Chronic fish 1	0.0003 mg/l (Fathead minnow)
NOEC Chronic fish 2	0.00083 mg/l (Sheepshead minnow)

# Perm-X UL 30-30

## Safety Data Sheet

Permethrin (52645-53-1)	
NOEC Chronic crustacea 1	0.000039 mg/l (Daphnia magna)
NOEC Chronic crustacea 2	0.000011 mg/l (Mysid shrimp)
Piperonyl butoxide (51-03-6)	
LC50 Acute fish 1	1.9 mg/l (Rainbow trout)
LC50 Acute fish 2	3.94 mg/l (Sheepshead minnow)
LC50 Acute crustacea 1	0.49 mg/l (Mysid shrimp)
LC50 Acute crustacea 2	0.51 mg/l (Gammarus fasciatus (amphipod))
NOEC Chronic fish 1	0.04 mg/l (Fathead minnow)
NOEC Chronic crustacea 1	0.03 mg/l (Daphnia magna)

### 12.2. Persistence and degradability

Permethrin (52645-53-1)	
Persistence and degradability	Permethrin: not rapidly biodegradable.

### 12.3. Bioaccumulative potential

Permethrin (52645-53-1)	
Bioaccumulative potential	Permethrin: Bioconcentration factor (BCF) 300; Does not bioaccumulate.

### 12.4. Mobility in soil

Permethrin (52645-53-1)	
Mobility in soil	Permethrin: Immobile in soil

### 12.5. Other adverse effects

Perm-X UL 30-30	
Ecological Fate	This product is extremely toxic to aquatic organisms, including fish and invertebrates. This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds.

## SECTION 13: Disposal considerations

### 13.1. Disposal methods

Product/Packaging disposal recommendations : Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

## SECTION 14: Transport information

	UN number	Proper Shipping Name	Transport hazard class(es)	Packing group	Environmental hazards
<b>DOT</b>	Not regulated	Not regulated	Not regulated	Not regulated	Not applicable
<b>IMDG</b>	UN3082	Packaging greater than 5 L: Environmentally hazardous substance, liquid, n.o.s (Permethrin and Piperonyl butoxide)	9	III	Marine pollutant
<b>IATA</b>	UN3082	Packaging greater than 5 L: Environmentally hazardous substance, liquid, n.o.s (Permethrin and Piperonyl butoxide)	9	III	Acute aquatic toxicity

## SECTION 15: Regulatory information

### 15.1. US Federal regulations

Permethrin (52645-53-1)	
Not listed on the United States TSCA (Toxic Substances Control Act) inventory Subject to reporting requirements of United States SARA Section 313	
SARA Section 313 - Emission Reporting	1 %

# Perm-X UL 30-30

## Safety Data Sheet

<b>Piperonyl butoxide (51-03-6)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory Subject to reporting requirements of United States SARA Section 313	
SARA Section 313 - Emission Reporting	1 %
<b>Petroleum distillates, hydrotreated (mild) heavy paraffinic and hydrotreated (mild) light paraffinic (64742-54-7 and 64742-55-8)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
<b>FIFRA Labelling</b>	
EPA Registration Number	89459-44
This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The hazard information required on the pesticide label is reproduced below. The pesticide label also includes other important information, including directions for use.	
FIFRA Signal word	<b>Caution</b>
FIFRA Precautionary Statement	KEEP OUT OF REACH OF CHILDREN.
FIFRA Hazards to Humans and Domestic Animals	Harmful if swallowed. Harmful if absorbed through skin. Avoid contact with skin, eyes or clothing. Causes moderate eye irritation.
FIFRA First Aid	IF SWALLOWED: Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person. IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth if possible. Call a poison control center or doctor for treatment advice. Note to Physician: Contains petroleum distillate - vomiting may cause aspiration pneumonia.
FIFRA Environmental Hazards	This pesticide is extremely toxic to aquatic organisms, including fish and invertebrates. Runoff from treated areas or deposition of spray droplets into a body of water may be hazardous to fish and aquatic invertebrates. Before making the first application in a season, it is advisable to consult with the state or tribal agency with primary responsibility for pesticide regulation to determine if other regulatory requirements exist. This pesticide is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area. Do not apply over bodies of water (lakes, rivers, permanent streams, natural ponds, commercial fish ponds, swamps, marshes or estuaries), except when necessary to target areas where adult mosquitoes are present, and weather conditions will facilitate movement of applied material away from the water in order to minimize incidental deposition into the water body. Do not contaminate bodies of water when disposing of equipment rinsate or washwaters.
FIFRA Physical Hazard	Do not use, pour, spill, or store near heat or open flame

### 15.2. US State regulations

No additional information available

## SECTION 16: Other information

Date of issue : 14 December 2015  
Revision date : 24 March 2020

Indication of changes:

Revised Sec. 1: Added material number(s).

SDS US (GHS HazCom 2012) - CGP

*The information and statements herein are believed to be reliable but are not to be construed as a warranty or representation for which we assume legal responsibility. Users should undertake sufficient verification and testing to determine the suitability for their own particular purpose of any information or products referred to herein. NO WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE IS MADE.*